



NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.

Phone: 847-298-7500


Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com

Website: www.ntnamericas.com

Item # UEL211-202D1, Bearing Insert w/ Eccentric Locking Collar, Wide Inner Ring - Spherical O.D.



[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options

FIND A DISTRIBUTOR

CONTACT NTN CUSTOMER SUPPORT SPECIALIST

ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)

Technical Specifications


Type

Insert Bearing

Bore Type	Round
Bearing Type	Ball Bearing
Material	Through Hardened Steel
Ball Material	Steel
Limiting Speed - Grease	2900 RPM
Seal Type	Contact
Seal Material	Nitrile Rubber
Performance	Standard Duty
Configuration	One
Locking Device	Eccentric Locking Collar
Locking Device Part Number	EL211-202
Lubrication	Relubricatable
Basic Outer Ring	211
Static Load Rating	6550 lbf 29200 N 29.20 kN
Dynamic Load Rating	9800 lbf 43500 N 43.50 kN
Enclosure	Double Sealed
Weight	3.020 lb 1.370 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C

Dimensional Specifications





Bearing Insert w/ Eccentric Locking Collar, Wide Inner Ring - Spherical O.D. - Dimensions

d	2-1/8 in 53.975 mm
D	3.9370 in 100.000 mm
C	0.9843 in 25.000 mm
B	2.1850 in 55.500 mm
B1	2.8110 in 71.400 mm
r	0.0787 in 2.000 mm
ds	3/8-24 UNF
G	0.3150 in 8.000 mm
d3	2.9921 in 76.000 mm
B5	0.8150 in 20.700 mm
S1	1.7165 in 43.600 mm
S	1.0945 in 27.800 mm
F	0.2362 in 6.000 mm

