


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358


Email: mkt@ntnamerica.com
Website: www.ntnamericas.com

Item # UEL212-206D1, Bearing Insert w/ Eccentric Locking Collar, Wide Inner Ring - Spherical O.D.


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)
Order Now
Ordering Options
FIND A DISTRIBUTOR
CONTACT NTN CUSTOMER SUPPORT SPECIALIST
ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)
Technical Specifications
Type

Insert Bearing

Bore Type	Round
Bearing Type	Ball Bearing
Material	Through Hardened Steel
Ball Material	Steel
Limiting Speed - Grease	2500 RPM
Seal Type	Contact
Seal Material	Nitrile Rubber
Performance	Standard Duty
Configuration	One
Locking Device	Eccentric Locking Collar
Locking Device Part Number	EL212-206
Lubrication	Relubricatable
Collar Number	EL212-206W3
Basic Outer Ring	212
Radial Internal Clearance	CN
Static Load Rating	8093 lbf 36000 N 36.00 kN
Dynamic Load Rating	11803 lbf 52500 N 52.50 kN
Enclosure	Double Sealed
Weight	4.337 lb 1.970 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C



Bearing Insert w/ Eccentric Locking Collar, Wide Inner Ring - Spherical O.D. - Dimensions

d	2-3/8 in 60.325 mm
D	4.3307 in 110.000 mm
C	1.0630 in 27.000 mm
B	2.4370 in 61.900 mm
B1	3.0630 in 77.800 mm
r	0.0787 in 2.000 mm
ds	3/8-24 UNF
G	0.3150 in 8.000 mm
d3	3.3071 in 84.000 mm
B5	0.8780 in 22.300 mm
S1	1.8425 in 46.800 mm
S	1.2205 in 31.000 mm
F	0.2441 in 6.200 mm

