



NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.

Phone: 847-298-7500


Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com

Website: www.ntnamericas.com

Item # UEL215-213D1, Bearing Insert w/ Eccentric Locking Collar, Wide Inner Ring - Spherical O.D.



[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options

FIND A DISTRIBUTOR

CONTACT NTN CUSTOMER SUPPORT SPECIALIST

ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)

Technical Specifications


Type

Insert Bearing

Bore Type	Round
Bearing Type	Ball Bearing
Material	Through Hardened Steel
Ball Material	Steel
Limiting Speed - Grease	2100 RPM
Seal Type	Contact
Seal Material	Nitrile Rubber
Performance	Standard Duty
Configuration	One
Locking Device	Eccentric Locking Collar
Locking Device Part Number	EL215-213
Lubrication	Relubricatable
Static Load Rating	11100 lbf 49500 N 49.50 kN
Dynamic Load Rating	14800 lbf 66000 N 66.00 kN
Enclosure	Double Sealed
Weight	6.389 lb 2.898 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C

Dimensional Specifications





Bearing Insert w/ Eccentric Locking Collar, Wide Inner Ring - Spherical O.D. - Dimensions

d	2-13/16 in 71.438 mm
D	5.1181 in 130.000 mm
C	1.3386 in 34.000 mm
B	2.9370 in 74.600 mm
B1	3.6220 in 92.000 mm
r	0.0984 in 2.500 mm
ds	3/8-24 UNF
G	0.3425 in 8.700 mm
d3	4.0157 in 102.000 mm
B5	0.9370 in 23.800 mm
S1	2.1535 in 54.700 mm
S	1.4685 in 37.300 mm
F	0.3543 in 9.000 mm

