


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.

Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com


Item # UCFL205-014D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Set Screw, UCFL Type


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)
Order Now
Ordering Options
FIND A DISTRIBUTOR
CONTACT NTN CUSTOMER SUPPORT SPECIALIST
ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)
Technical Specifications

Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing
Locking Device	Set Screw

Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UC205-014D1
Housing Number	FL205D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	3147 lbf 14000 N 14.00 kN
Static Load Rating	1765 lbf 7850 N 7.85 kN
Rotational Speed [Max]	5900 RPM
Weight	1.422 lb 0.640 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Two Bolt Rhombus Flanged Unit, Cast Housing, Set Screw, UCFL Type - Dimensions

d	0.8750 in 22.225 mm
H	5.1250 in 130.0 mm
L	2.6875 in 68.0 mm
J	3.8906 in 99.0 mm
A	1.0625 in 27.0 mm
A0	1.4062 in 35.800 mm
A1	0.5000 in 13.0 mm
A2	0.6250 in 16.0 mm
N	0.6250 in 16.0 mm
B	1.3425 in 34.100 mm
S	0.5630 in 14.300 mm
F	0.1772 in 4.500 mm