



NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.

Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com

Website: www.ntnamericas.com

Item # UCFL206-104D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Set Screw, UCFL Type



[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options

[FIND A DISTRIBUTOR](#)

[CONTACT NTN CUSTOMER SUPPORT SPECIALIST](#)


[ORDER THROUGH NTN DOL \(AUTHORIZED DISTRIBUTORS ONLY\)](#)

Technical Specifications

Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing
Locking Device	Set Screw

Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UC206-104D1
Housing Number	FL206D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	4384 lbf 19500 N 19.50 kN
Static Load Rating	2540 lbf 11300 N 11.30 kN
Rotational Speed [Max]	4900 RPM
Weight	1.874 lb 0.850 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Two Bolt Rhombus Flanged Unit, Cast Housing, Set Screw, UCFL Type - Dimensions

d	1.2500 in 31.750 mm
H	5.8125 in 148.0 mm
L	3.1562 in 80.0 mm
J	4.6094 in 117.0 mm
A	1.2187 in 31.0 mm
A0	1.5781 in 40.200 mm
A1	0.5000 in 13.0 mm
A2	0.7031 in 18.0 mm
N	0.6250 in 16.0 mm
B	1.5000 in 38.100 mm
S	0.6260 in 15.900 mm
F	0.1811 in 4.600 mm