



NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.

Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com

Website: www.ntnamericas.com

Item # UCFL207D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Set Screw, UCFL Type



[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options

[FIND A DISTRIBUTOR](#)

[CONTACT NTN CUSTOMER SUPPORT SPECIALIST](#)


[ORDER THROUGH NTN DOL \(AUTHORIZED DISTRIBUTORS ONLY\)](#)

Technical Specifications

Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing
Locking Device	Set Screw

Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UC207D1
Housing Number	FL207D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	5778 lbf 25700 N 25.70 kN
Static Load Rating	3440 lbf 15300 N 15.30 kN
Rotational Speed [Max]	4200 RPM
Weight	1.164 lb 0.530 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Two Bolt Rhombus Flanged Unit, Cast Housing, Set Screw, UCFL Type - Dimensions

d	1.3780 in 35.000 mm
H	6.3437 in 161.0 mm
L	3.5312 in 90.0 mm
J	5.1250 in 130.0 mm
A	1.3437 in 34.0 mm
A0	1.7500 in 44.400 mm
A1	0.5937 in 15.0 mm
A2	0.7500 in 19.0 mm
N	0.6250 in 16.0 mm
B	1.6890 in 42.900 mm
S	0.6890 in 17.500 mm
F	0.1811 in 4.600 mm