



NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.

Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com

Website: www.ntnamericas.com

Item # UCFL216D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Set Screw, UCFL Type



[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options

FIND A DISTRIBUTOR


CONTACT NTN CUSTOMER SUPPORT SPECIALIST

ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)

Technical Specifications	
Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing
Locking Device	Set Screw

Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UC216D1
Housing Number	FL216D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	16299 lbf 72500 N 72.50 kN
Static Load Rating	11915 lbf 53000 N 53.00 kN
Rotational Speed [Max]	2000.0 RPM
Weight	7.442 lb 3.380 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Two Bolt Rhombus Flanged Unit, Cast Housing, Set Screw, UCFL Type - Dimensions

d	3.1500 in 80.000 mm
H	11.4062 in 290.0 mm
L	7.0937 in 180.0 mm
J	9.1719 in 233.0 mm
A	2.2812 in 58.0 mm
A0	3.2812 in 83.300 mm
A1	0.8750 in 22.0 mm
A2	1.3437 in 34.0 mm
N	0.9844 in 25.0 mm
B	3.2520 in 82.600 mm
S	1.3110 in 33.300 mm
F	0.3740 in 9.500 mm