


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com


Item # UELFL205D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)
Order Now
Ordering Options
FIND A DISTRIBUTOR
CONTACT NTN CUSTOMER SUPPORT SPECIALIST
ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)
Technical Specifications

Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing

Locking Device	Eccentric Locking Collar
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UEL205D1
Housing Number	FL205D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	3150 lbf 14000 N 14.00 kN
Static Load Rating	1760 lbf 7850 N 7.85 kN
Rotational Speed [Max]	5900 RPM
Weight	1.500 lb 0.680 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type - Dimensions

d	0.9843 in 25.000 mm
H	5.1250 in 130.0 mm
L	2.6875 in 68.0 mm
J	3.8906 in 99.0 mm
A	1.0625 in 27.0 mm
A1	0.5000 in 13.0 mm
A2	0.6250 in 16.0 mm
N	0.6250 in 16.0 mm
B1	1.7480 in 44.400 mm
S	0.6890 in 17.500 mm
F	0.1772 in 4.500 mm