


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com


Item # UELFL206D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)
Order Now
Ordering Options
FIND A DISTRIBUTOR
CONTACT NTN CUSTOMER SUPPORT SPECIALIST
ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)
Technical Specifications

Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing

Locking Device	Eccentric Locking Collar
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UEL206D1
Housing Number	FL206D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	4400 lbf 19500 N 19.50 kN
Static Load Rating	2540 lbf 11300 N 11.30 kN
Rotational Speed [Max]	4900 RPM
Weight	2.200 lb 0.998 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type - Dimensions

d	1.1811 in 30.000 mm
H	5.8125 in 148.0 mm
L	3.1562 in 80.0 mm
J	4.6094 in 117.0 mm
A	1.2187 in 31.0 mm
A1	0.5000 in 13.0 mm
A2	0.7031 in 18.0 mm
N	0.6250 in 16.0 mm
B1	1.9055 in 48.400 mm
S	0.7205 in 18.300 mm
F	0.1811 in 4.600 mm