NTN BEARING CORPORATION OF AMERICA
Head Office
1600 E. Bishop Court, P.O. Box 7604
Mount Prospect, IL 60056-7604, U.S.A.
Phone: 847-298-7500
Fax: 847-699-9744
Toll Free: 800-323-2358
Email: mkt@ntnamerica.com
Website: www.ntnamericas.com

Item # UELFL207D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type

Order Now | Technical Specifications | Dimensional Specifications

Order Now

Ordering Options	FIND A DISTRIBUTOR CONTACT NTN CUSTOMER SUPPORT SPECIALIST ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)

Technical Specifications

Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing

Locking Device	Eccentric Locking Collar
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UEL207D1
Housing Number	FL207D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	5778 lbf 25700 N 25.70 kN
Static Load Rating	3440 lbf 15300 N 15.30 kN
Rotational Speed [Max]	4200 RPM
Weight	2.911 lb 1.320 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications

Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type - Dimensions

d	1.3780 in 35.000 mm
H	6.3437 in 161.0 mm
L	3.5312 in 90.0 mm
J	5.1250 in 130.0 mm
A	1.3437 in 34.0 mm
A1	0.5937 in 15.0 mm
A2	0.7500 in 19.0 mm
N	0.6250 in 16.0 mm
B1	2.0118 in 51.100 mm
S	0.7402 in 18.800 mm
F	0.1811 in 4.600 mm