


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com

Item # UELFL208D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options


[FIND A DISTRIBUTOR](#)
[CONTACT NTN CUSTOMER SUPPORT SPECIALIST](#)
[ORDER THROUGH NTN DOL \(AUTHORIZED DISTRIBUTORS ONLY\)](#)

Technical Specifications

Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing

Locking Device	Eccentric Locking Collar
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UEL208D1
Housing Number	FL207D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	6550 lbf 29100 N 29.10 kN
Static Load Rating	4000 lbf 17800 N 17.80 kN
Rotational Speed [Max]	3700 RPM
Weight	3.700 lb 1.680 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type - Dimensions

d	1.5748 in 40.000 mm
H	6.8750 in 175.0 mm
L	3.9375 in 100.0 mm
J	5.6719 in 144.0 mm
A	1.4062 in 36.0 mm
A1	0.5937 in 15.0 mm
A2	0.8281 in 21.0 mm
N	0.6250 in 16.0 mm
B1	2.2165 in 56.300 mm
S	0.8425 in 21.400 mm
F	0.1772 in 4.500 mm