


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com


Item # UELFL211D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)
Order Now
Ordering Options
FIND A DISTRIBUTOR
CONTACT NTN CUSTOMER SUPPORT SPECIALIST
ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)
Technical Specifications
Type 2-Bolt Rhombus Flanged Unit

Bearing Type Ball Bearing

Locking Device	Eccentric Locking Collar
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UEL211D1
Housing Number	FL211D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	9800 lbf 43500 N 43.50 kN
Static Load Rating	6550 lbf 29200 N 29.20 kN
Rotational Speed [Max]	2900.0 RPM
Weight	7.300 lb 3.310 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type - Dimensions

d	2.1654 in 55.000 mm
H	8.8125 in 224.0 mm
L	5.1250 in 130.0 mm
J	7.2500 in 184.0 mm
A	1.6875 in 43.0 mm
A1	0.7187 in 18.0 mm
A2	0.9844 in 25.0 mm
N	0.7500 in 19.0 mm
B1	2.8110 in 71.400 mm
S	1.0945 in 27.800 mm
F	0.2362 in 6.000 mm