


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com

Item # UELFL212-206D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options


[FIND A DISTRIBUTOR](#)
[CONTACT NTN CUSTOMER SUPPORT SPECIALIST](#)
[ORDER THROUGH NTN DOL \(AUTHORIZED DISTRIBUTORS ONLY\)](#)

Technical Specifications

Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing

Locking Device	Eccentric Locking Collar
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UEL212-206D1
Housing Number	FL212D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	11800 lbf 52500 N 52.50 kN
Static Load Rating	8100 lbf 36000 N 36.00 kN
Rotational Speed [Max]	2500.0 RPM
Weight	9.500 lb 4.310 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type - Dimensions

d	2.3750 in 60.325 mm
H	9.8437 in 250.0 mm
L	5.5000 in 140.0 mm
J	7.9531 in 202.0 mm
A	1.8750 in 48.0 mm
A1	0.7187 in 18.0 mm
A2	1.1406 in 29.0 mm
N	0.9062 in 23.0 mm
B1	3.0630 in 77.800 mm
S	1.2205 in 31.000 mm
F	0.2441 in 6.200 mm