


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com

Item # UELFL214-211D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type



[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options


[FIND A DISTRIBUTOR](#)
[CONTACT NTN CUSTOMER SUPPORT SPECIALIST](#)
[ORDER THROUGH NTN DOL \(AUTHORIZED DISTRIBUTORS ONLY\)](#)

Technical Specifications

Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing

Locking Device	Eccentric Locking Collar
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UEL214-211D1
Housing Number	FL214D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	13900 lbf 62000 N 62.00 kN
Static Load Rating	9900 lbf 44000 N 44.00 kN
Rotational Speed [Max]	2300.0 RPM
Weight	13.000 lb 5.900 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type - Dimensions

d	2.6875 in 68.263 mm
H	10.4375 in 265.0 mm
L	6.3125 in 160.0 mm
J	8.5000 in 216.0 mm
A	2.1250 in 54.0 mm
A1	0.8750 in 22.0 mm
A2	1.2187 in 31.0 mm
N	0.9062 in 23.0 mm
B1	3.3740 in 85.700 mm
S	1.3425 in 34.100 mm
F	0.3465 in 8.800 mm