


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com


Item # UELFL214D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)
Order Now
Ordering Options
FIND A DISTRIBUTOR
CONTACT NTN CUSTOMER SUPPORT SPECIALIST
ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)
Technical Specifications

Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing

Locking Device	Eccentric Locking Collar
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UEL214D1
Housing Number	FL214D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	13900 lbf 62000 N 62.00 kN
Static Load Rating	9900 lbf 44000 N 44.00 kN
Rotational Speed [Max]	2300.0 RPM
Weight	13.000 lb 5.900 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type - Dimensions

d	2.7559 in 70.000 mm
H	10.4375 in 265.0 mm
L	6.3125 in 160.0 mm
J	8.5000 in 216.0 mm
A	2.1250 in 54.0 mm
A1	0.8750 in 22.0 mm
A2	1.2187 in 31.0 mm
N	0.9062 in 23.0 mm
B1	3.3740 in 85.700 mm
S	1.3425 in 34.100 mm
F	0.3465 in 8.800 mm