


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com

Item # UELFL215D1, Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options


[FIND A DISTRIBUTOR](#)
[CONTACT NTN CUSTOMER SUPPORT SPECIALIST](#)
[ORDER THROUGH NTN DOL \(AUTHORIZED DISTRIBUTORS ONLY\)](#)

Technical Specifications

Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing

Locking Device	Eccentric Locking Collar
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UEL215D1
Housing Number	FL215D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	14800 lbf 66000 N 66.00 kN
Static Load Rating	11100 lbf 49500 N 49.50 kN
Rotational Speed [Max]	2100.0 RPM
Weight	14.000 lb 6.350 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Two Bolt Rhombus Flanged Unit, Cast Housing, Eccentric Locking Collar, UELFL Type - Dimensions

d	2.9528 in 75.000 mm
H	10.8125 in 275.0 mm
L	6.5000 in 165.0 mm
J	8.8594 in 225.0 mm
A	2.2187 in 56.0 mm
A1	0.8750 in 22.0 mm
A2	1.3437 in 34.0 mm
N	0.9062 in 23.0 mm
B1	3.6220 in 92.000 mm
S	0.6575 in 16.700 mm
F	0.3543 in 9.000 mm