NTN BEARING CORPORATION OF AMERICA
Head Office
1600 E. Bishop Court, P.O. Box 7604
Mount Prospect, IL 60056-7604, U.S.A.
Phone: 847-298-7500
Fax: 847-699-9744
Toll Free: 800-323-2358
Email: mkt@ntnamerica.com
Website: www.ntnamericas.com

Item # UCP210-114D1, Pillow Block Unit, Cast Housing, Set Screw, UCP/UCPX Type

Order Now | Technical Specifications | Dimensional Specifications

Order Now

Ordering Options	FIND A DISTRIBUTOR CONTACT NTN CUSTOMER SUPPORT SPECIALIST ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)

Technical Specifications

Type	Pillow Block Unit

Bearing Type	Ball Bearing
Locking Device	Set Screw
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UC210-114D1
Housing Number	P210D1
Housing Material	Cast Iron
Housing Construction	1 Piece
Performance	Light Duty
End Type	Open
Dynamic Load Rating	7868 lbf 35000 N 35.00 kN
Static Load Rating	5216 lbf 23200 N 23.20 kN
Rotational Speed [Max]	3100 RPM
Weight	6.152 lb 2.790 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Pillow Block Unit, Cast Housing, Set Screw, UCP/UCPX Type - Dimensions

d	1.8750 in 47.625 mm
J	6.2500 in 159.0 mm
L	8.1250 in 206.0 mm
A	2.3750 in 60.0 mm
H	2.2500 in 57.2 mm
H1	0.8125 in 21.0 mm
H2	4.5000 in 114.0 mm
L1	2.5625 in 65.0 mm
N	0.7812 in 20.0 mm
N1	0.9062 in 23.0 mm
B	2.0315 in 51.600 mm
S	0.7480 in 19.000 mm
F	0.2323 in 5.900 mm