



NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.

Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com

Website: www.ntnamericas.com

Item # UCP210-200D1, Pillow Block Unit, Cast Housing, Set Screw, UCP/UCPX Type



[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options

[FIND A DISTRIBUTOR](#)

[CONTACT NTN CUSTOMER SUPPORT SPECIALIST](#)

[ORDER THROUGH NTN DOL \(AUTHORIZED DISTRIBUTORS ONLY\)](#)


Technical Specifications

Type

Pillow Block Unit

Bearing Type	Ball Bearing
Locking Device	Set Screw
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UC210-200D1
Housing Number	P210D1
Housing Material	Cast Iron
Housing Construction	1 Piece
Performance	Light Duty
End Type	Open
Dynamic Load Rating	7868 lbf 35000 N 35.00 kN
Static Load Rating	5216 lbf 23200 N 23.20 kN
Rotational Speed [Max]	3100 RPM
Weight	5.931 lb 2.690 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Pillow Block Unit, Cast Housing, Set Screw, UCP/UCPX Type - Dimensions

d	2.0000 in 50.800 mm
J	6.2500 in 159.0 mm
L	8.1250 in 206.0 mm
A	2.3750 in 60.0 mm
H	2.2500 in 57.2 mm
H1	0.8125 in 21.0 mm
H2	4.5000 in 114.0 mm
L1	2.5625 in 65.0 mm
N	0.7812 in 20.0 mm
N1	0.9062 in 23.0 mm
B	2.0315 in 51.600 mm
S	0.7480 in 19.000 mm
F	0.2323 in 5.900 mm