NTN BEARING CORPORATION OF AMERICA
Head Office
1600 E. Bishop Court, P.O. Box 7604
Mount Prospect, IL 60056-7604, U.S.A.
Phone: 847-298-7500
Fax: 847-699-9744
Toll Free: 800-323-2358
Email: mkt@ntnamerica.com
Website: www.ntnamericas.com

Item # UCP211-202D1, Pillow Block Unit, Cast Housing, Set Screw, UCP/UCPX Type

Order Now | Technical Specifications | Dimensional Specifications

Order Now

Ordering Options	FIND A DISTRIBUTOR CONTACT NTN CUSTOMER SUPPORT SPECIALIST ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)

Technical Specifications

Type	Pillow Block Unit

Bearing Type	Ball Bearing
Locking Device	Set Screw
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UC211-202D1
Housing Number	P211D1
Housing Material	Cast Iron
Housing Construction	1 Piece
Performance	Light Duty
End Type	Open
Dynamic Load Rating	9779 lbf 43500 N 43.50 kN
Static Load Rating	6564 lbf 29200 N 29.20 kN
Rotational Speed [Max]	2900.0 RPM
Weight	7.916 lb 3.590 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Pillow Block Unit, Cast Housing, Set Screw, UCP/UCPX Type - Dimensions

d	2.1250 in 53.975 mm
J	6.7187 in 171.0 mm
L	8.6250 in 219.0 mm
A	2.3750 in 60.0 mm
H	2.5000 in 63.5 mm
H1	0.9062 in 23.0 mm
H2	4.9687 in 126.0 mm
L1	2.5625 in 65.0 mm
N	0.7812 in 20.0 mm
N1	0.9062 in 23.0 mm
B	2.1890 in 55.600 mm
S	0.8740 in 22.200 mm
F	0.2362 in 6.000 mm