


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.

Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358


Email: mkt@ntnamerica.com
Website: www.ntnamericas.com
Item # UCP217D1, Pillow Block Unit, Cast Housing, Set Screw, UCP/UCPX Type

[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)
Order Now
Ordering Options
FIND A DISTRIBUTOR
CONTACT NTN CUSTOMER SUPPORT SPECIALIST
ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)
Technical Specifications
Type Pillow Block Unit

Bearing Type Ball Bearing

Locking Device	Set Screw
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UC217D1
Housing Number	P217D1
Housing Material	Cast Iron
Housing Construction	1 Piece
Performance	Light Duty
End Type	Open
Dynamic Load Rating	18772 lbf 83500 N 83.50 kN
Static Load Rating	14388 lbf 64000 N 64.00 kN
Rotational Speed [Max]	1900.0 RPM
Weight	23.505 lb 10.660 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Pillow Block Unit, Cast Housing, Set Screw, UCP/UCPX Type - Dimensions

d	3.3460 in 85.000 mm
J	9.7187 in 247.0 mm
L	12.2187 in 310.0 mm
A	3.2812 in 83.0 mm
H	3.7500 in 95.2 mm
H1	1.2500 in 32.0 mm
H2	7.3750 in 187.0 mm
L1	3.3437 in 85.0 mm
N	0.9687 in 25.0 mm
N1	1.0937 in 28.0 mm
B	3.3740 in 85.700 mm
S	1.3425 in 34.100 mm
F	0.3976 in 10.100 mm